

Safety Data Sheet

according to 2001/58/EC

UV Adhesive B 665-0

Print date : 25.04.2005

Product code : BO5209300

Page 1 of 5

1. Identification of the substance/preparation and of the company/undertaking**1.1 Identification of the substance or preparation**

UV Adhesive B 665-0

Use of the substance/preparation
adhesives**1.2 Company/undertaking identification**

Company name :	BOHLE AG	Telephone : 02129 5568-0
Street :	Dieselstr. 10	Telefax : 02129 5568 282
Place :	D-42781 Haan	
Contact person :	Uwe Adler	
e-mail :	uadler@bohle.de	
Inquiry office :	Produktmanagement	

2. Composition/information on ingredients**Chemical characterization** (preparation)
Methacrylate/Acrylate resin(s).**Hazardous components**

EC-No.	CAS-No.	Chemical name	Quantity	Classification
212-782-2	868-77-9	2-hydroxyethyl methacrylate	25-50 %	Xi R36/38-43
227-561-6	5888-33-5	Isobornylacrylat	25-50 %	Xi R43-36/37/38
201-177-9	79-10-7	acrylic acid, prop-2-enoic acid	2,5-10 %	Xn, C, N R10-20/21/22-35-50

Full text of each relevant R phrase can be found in heading 16.

3. Hazards identification**Classification**

Symbols : Irritant
R-phrases :
May cause sensitization by skin contact.
Irritating to eyes, respiratory system and skin.

4. First aid measures**After inhalation**

Move to fresh air. Consult a physician after significant exposure.

After contact with skin

Wash off with soap and plenty of water. If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

After contact with eyes

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

After ingestion

Do not induce vomiting. Immediately give large quantities of water to drink. Call a physician immediately.

5. Fire-fighting measures**Suitable extinguishing media**water spray dry powder foam carbon dioxide (CO₂)

Safety Data Sheet

according to 2001/58/EC

UV Adhesive B 665-0

Print date : 25.04.2005

Product code : BO5209300

Page 2 of 5

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

Special exposure hazards arriving from substance or preparation itself, combustion products, resulting gases

In the event of fire Carbon monoxide, nitrogen oxides (NOx) may be formed.

Special protective equipment for fire-fighters

Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. In the event of fire, wear self-contained breathing apparatus.

6. Accidental release measures**Personal precautions**

Use personal protective equipment.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.

Methods for cleaning up/taking up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal. Ensure adequate ventilation.

7. Handling and storage**7.1 Handling****Advice on safe handling**

Harmful: danger of serious damage to health by prolonged exposure through inhalation and in contact with skin. Ensure adequate ventilation, especially in confined areas. Breathing apparatus needed only when aerosol or mist is formed. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs.

Advice on protection against fire and explosion

No special technical protective measures required.

7.2 Storage**Requirements for storage rooms and vessels**

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

No special restrictions on storage with other products

Further information on storage conditions

Keep away from direct sunlight. Keep away from heat.

8. Exposure controls/personal protection**8.1 Exposure limit values****Exposure limits (EH40)**

CAS No.	Substance	ml/m ³	mg/m ³	F/m ³	Category	Origin
79-10-7	Acrylic acid	10	30		TWA (8 h)	OES
	Acrylic acid	20	60		STEL (15 min)	OES

8.2 Exposure controls**Occupational exposure controls**

Safety Data Sheet

according to 2001/58/EC

UV Adhesive B 665-0

Print date : 25.04.2005

Product code : BO5209300

Page 3 of 5

Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached. However it is the duty of the user to verify this and follow given exposure limits at the workplace.

Protective and hygiene measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Hand protection

rubber gloves

Eye protection

tightly fitting safety goggles

Skin protection

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

9. Physical and chemical properties**9.1 General information**

Physical state : liquid
 Colour : clear
 Odour : characteristic

9.2 Important health, safety and environmental information

Test method

Changes in the physical state

Flash point : >93 °C

Explosive properties

None

Vapour pressure : 8 hPa
 at (30 °C)

Density (at 20 °C) : 1,100 g/cm³

Viscosity / dynamic : 55 mPa·s
 at (20 °C)

Solvent content

0,0%

10. Stability and reactivity**Conditions to avoid**

Stable under recommended storage conditions.

Materials to avoid

oxidising agents, amines, strong acids

Hazardous decomposition products

No decomposition if used as directed.

11. Toxicological information**Irritancy and corrosiveness**

Skin irritation. Severe eye irritation.

Safety Data Sheet

according to 2001/58/EC

UV Adhesive B 665-0

Print date : 25.04.2005

Product code : BO5209300

Page 4 of 5

Sensitising effect

May cause sensitisation by skin contact.

Subacute, subchronic and prolonged toxicity

Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.

12. Ecological information**Ecotoxicity**

Ecological injuries are not known or expected under normal use.

13. Disposal considerations**Waste disposal number of waste from residues/unused products :**

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances
Classified as hazardous waste.

14. Transport information**Land transport (ADR/RID)****Inland waterways transport****Marine transport****Air transport****Futher Information**

Not a dangerous substance as defined in the above regulations.

15. Regulatory information**15.1 Labelling**

Indication of danger : Xi - Irritant



Xi - Irritant

Hazardous component(s) to be indicated on labelacrylic acid, prop-2-enoic acid
2-hydroxyethyl methacrylate
Isobornylacrylat**R phrases :**43 May cause sensitization by skin contact.
36/37/38 Irritating to eyes, respiratory system and skin.**S phrases :**24 Avoid contact with skin.
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
37 Wear suitable gloves.**15.2 National regulations**

Safety Data Sheet

according to 2001/58/EC

UV Adhesive B 665-0

Print date : 25.04.2005

Product code : BO5209300

Page 5 of 5

16. Other information**List of relevant R phrases**

- | | |
|----------|---|
| 10 | Flammable. |
| 35 | Causes severe burns. |
| 43 | May cause sensitization by skin contact. |
| 50 | Very toxic to aquatic organisms. |
| 20/21/22 | Harmful by inhalation, in contact with skin and if swallowed. |
| 36/38 | Irritating to eyes and skin. |
| 36/37/38 | Irritating to eyes, respiratory system and skin. |

Other data

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)