

according to Regulation (EC) No 1907/2006

Polishing gel,contains cerium

Revision date: 17.06.2020

Product code: BO5008004

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Polishing gel,contains cerium

Further trade names

BO 5008004, 100 ml

BO 50080041, 10 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Abrasive / Polishing agent

1.3. Details of the supplier of the safety data sheet

Company name:	BOHLE AG	
Street:	Dieselstr. 10	
Place:	D-42781 Haan	
Telephone:	+49 2129 5568-0	Telefax: +49 2129 5568-282
e-mail:	info@bohle.de	
Contact person:	Klaus Nehren	Telephone: +49 2129 5568-276
e-mail:	MSDS@bohle.de	
Internet:	www.bohle.com	
Responsible Department:	Chemie	

1.4. Emergency telephone

Only available during office hours. +49 2129 5568-276

number:**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements**Regulation (EC) No. 1272/2008****Special labelling of certain mixtures**

EUH208	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

2.3. Other hazards

None under normal processing.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

according to Regulation (EC) No 1907/2006

Polishing gel,contains cerium

Revision date: 17.06.2020

Product code: BO5008004

Page 2 of 8

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
68188-85-2	Rare earth flourides			<3%
	269-166-1			
126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol			< 1 %
	204-809-1		01-2119954390-39	
	Eye Dam. 1, Skin Sens. 1B, Aquatic Chronic 3; H318 H317 H412			
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)			< 0,0015 %
	911-418-6	613-167-00-5	01-2120764691-48	
	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H331 H311 H301 H314 H317 H400 H410			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

If medical advice is needed, have product container or label at hand.

After inhalation

Remove casualty to fresh air and keep warm and at rest. If symptoms persist, call a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting.

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures
5.1. Extinguishing media
Suitable extinguishing media

 Carbon dioxide (CO₂), Extinguishing powder, Water spray, alcohol resistant foam

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide

according to Regulation (EC) No 1907/2006

Polishing gel,contains cerium

Revision date: 17.06.2020

Product code: BO5008004

Page 3 of 8

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. In case of fire: Wear self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Provide adequate ventilation. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaust at critical locations.

Advice on protection against fire and explosion

Pressurised container: May burst if heated.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a cool dry place.

Hints on joint storage

Do not store together with: Oxidising agent

Further information on storage conditions

Protect from frost, heat and sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Recommended storage temperature 10-30°C

7.3. Specific end use(s)

not applicable

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
16984-48-8	Fluoride (inorganic as F)	-	2.5		TWA (8 h)	WEL

8.2. Exposure controls

Protective and hygiene measures

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour. Wash hands before breaks and after work.

according to Regulation (EC) No 1907/2006

Polishing gel,contains cerium

Revision date: 17.06.2020

Product code: BO5008004

Page 4 of 8

Eye/face protection

safety glasses with side-shields conforming to EN166

Hand protection

The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

Suitable material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber), CR (polychloroprene, chloroprene rubber)

Breakthrough time (maximum wearing time) > 480 min.

Unsuitable extinguishing media PVA (Polyvinyl alcohol) For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Not required

Respiratory protection

No personal respiratory protective equipment normally required.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Aerosol
 Colour: whitish - beige
 Odour: characteristic

Test method

pH-Value: not applicable

Changes in the physical state

Melting point: not applicable

Initial boiling point and boiling range: not applicable

Flash point: not applicable

Explosive properties

not applicable

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: not relevant

Vapour pressure: (at 20 °C) 9000 hPa Aerosol propellants

Vapour pressure: (at 50 °C) 9900 hPa

Density (at 20 °C): 1,7 g/cm³ (Active agent)

Water solubility: completely soluble

Partition coefficient: not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

according to Regulation (EC) No 1907/2006

Polishing gel,contains cerium

Revision date: 17.06.2020

Product code: BO5008004

Page 5 of 8

Pressurised container: May burst if heated. Do not expose to temperatures above 50°C.

10.4. Conditions to avoid

Frost

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information
11.1. Information on toxicological effects
Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				
	oral	ATE mg/kg	100		
	dermal	ATE mg/kg	300		
	inhalation vapour	ATE	3 mg/l		
	inhalation aerosol	ATE	0,5 mg/l		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information
12.1. Toxicity

There are no data available on the preparation/mixture itself.

12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Further information

Do not empty into drains.

SECTION 13: Disposal considerations
13.1. Waste treatment methods

according to Regulation (EC) No 1907/2006

Polishing gel,contains cerium

Revision date: 17.06.2020

Product code: BO5008004

Page 6 of 8

Disposal recommendations

Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160505 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers other than those mentioned in 16 05 04

List of Wastes Code - used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - contaminated packaging

160505 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers other than those mentioned in 16 05 04

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.2



Classification code: 5A
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0
 Transport category: 3
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
 Hazard label: 2.2



Classification code: 5A
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.2
14.4. Packing group: -

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Polishing gel, contains cerium

Revision date: 17.06.2020

Product code: BO5008004

Page 7 of 8

Hazard label: 2.2



Special Provisions: 63, 190, 277, 327, 344, 959
 Limited quantity: 1000 mL
 Excepted quantity: E0
 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS, non-flammable
14.3. Transport hazard class(es): 2.2
14.4. Packing group: -
 Hazard label: 2.2



Special Provisions: A98 A145 A167 A802
 Limited quantity Passenger: 30 kg G
 Passenger LQ: Y203
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 203
 IATA-max. quantity - Passenger: 75 kg
 IATA-packing instructions - Cargo: 203
 IATA-max. quantity - Cargo: 150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

SECTION 6: Accidental release measures
 SECTION 7: Handling and storage
 SECTION 8: Exposure controls/personal protection

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

2004/42/EC (VOC): 0 %

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No 1907/2006

Polishing gel,contains cerium

Revision date: 17.06.2020

Product code: BO5008004

Page 8 of 8

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects .
H412	Harmful to aquatic life with long lasting effects .
EUH208	Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)